PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(22) International Filing Date: 18 February 1993 (18.02.93) (30) Priority data: 2,072,763 29 June 1992 (29.06.92) (71)(72) Applicant and Inventor: CHAUDHRY, Omar [CA/CA]; 9 Nelson Street, Aylmer, Quebec J9H 1G7 (CA). (81) Designated States: AU, BG, BR, CA, FI, HU, JP, KP, KR, LK, MG, MN, NO, PL, RO, RU, SD, SK, US, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, SN, TD, TG). (54) Title: PROCESS FOR THE PREPARATION OF DISULFIDES FROM THIOLS	(51) International Patent Classification 5:		(11) International Publication Number:	WO 94/0042
(22) International Filing Date: 18 February 1993 (18.02.93) (30) Priority data: 2,072,763 29 June 1992 (29.06.92) CA (71)(72) Applicant and Inventor: CHAUDHRY, Omar [CA/CA]: 9 Nelson Street, Aylmer, Quebec J9H 1G7 (CA). (81) Designated States: AU, BG, BR, CA, FI, HU, JP, KP, KR, LK, MG, MN, NO, PL, RO, RU, SD, SK, US, European patent (A7, Bk, CH, De, DK, ES, FR, CB, GR, IE, II, LU, MC, NI, FT, SE), OAFI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, SN, TD, TG). (54) Title: PROCESS FOR THE PREPARATION OF DISULFIDES FROM THIOLS (57) Abstract The process oxidizes thiols to disulfides using elemental selenium as a catalyst. Elemental selenium complexes with the thol to form the species RSSe- which is rapidly oxidized by molecular oxygen to the disulfide RSSR.	C07C 319/24, 323/12	A1	(43) International Publication Date: 6 Janua	ry 1994 (06.01.94
(22) International Filing Date: 18 February 1993 (18.02.93) (30) Priority data: 2,072,63 29 June 1992 (29.06.92) CA (71)(72) Applicant and Inventor: CHAUDHRY, Omar (CA/CA); 9 Nelson Street, Aylmer, Quebec 19H 1G7 (CA). (81) Designated States: AU, BG, BR, CA, Ft, HU, JP, KP, KR, LK, MG, MN, NO, PI, RO, CM, ES, FR, CB, GR, IE, IT, LU, MC, NL, FT, SE), OAPI patent (8F, BJ, CF, CG, CI, CM, GA, GN, ML, MR, SN, TD, TG). (54) Title: PROCESS FOR THE PREPARATION OF DISULFIDES FROM THIOLS (57) Abstract The process oxidizes thiols to disulfides using elemental selenium as a catalyst. Elemental selenium complexes with the thol to form the species RSSe* which is rapidly oxidized by molecular oxygen to the disulfide RSSR.	(21) International Application Number: PCT/C/	A93/0 00		
2,072,763 29 June 1992 (29.06.92) CA (71)(72) Applicant and Inventor: CHAUDHRY, Omar [CA/CA]; S Nelson Street, Aylmer, quebec 19H 1G7 (CA). (81) Designated States: AU, BG, BR, CA, FL, HU, JP, KP, KR, LK, MG, MN, NO, PL, RO, RU, SD, SK, US, European ppt, LL, GT, BE, CH, DE, DK, DS, FR, GB, GR, IE, IT, LU, MC, RL, PT, SB, OAPI patent (BF, BI, CF, CG, CI, CM, GA, GN, ML, MR, SN, TD, TG). (54) Title: PROCESS FOR THE PREPARATION OF DISULFIDES FROM THIOLS (57) Abstract The process oxidizes thiols to disulfides using elemental selenium as a catalyst. Elemental selenium complexes with the thol to form the species RSSe which is rapidly oxidized by molecular oxygen to the disulfide RSSR.	(22) International Filing Date: 18 February 1993	(18.02.		
(81) Designated States: AU, BG, BR, CA, FI, HU, JP, KP, KR, LK, MG, MN, NO, PL, RO, RU, SD, SK, US, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NI, PT, SE). OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, SN, TD, TG). (54) Title: PROCESS FOR THE PREPARATION OF DISULFIDES FROM THIOLS (57) Abstract The process oxidizes thiols to disulfides using elemental selenium as a catalyst. Elemental selenium complexes with the thol to form the species RSSe which is rapidly oxidized by molecular oxygen to the disulfide RSSR.	(30) Priority data: 2,072,763 29 June 1992 (29.06.92)	(CA	,
LK, MG, MN, NO, PL, RO, RU, SD, SK, US, European patent (GT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, MI, MR, SN, TD, TG). [54] Title: PROCESS FOR THE PREPARATION OF DISULFIDES FROM THIOLS [57] Abstract The process oxidizes thiols to disulfides using elemental selenium as a catalyst. Elemental selenium complexes with the thol to form the species RSSe which is rapidly oxidized by molecular oxygen to the disulfide RSSR.	(71)(72) Applicant and Inventor: CHAUDHRY, On CA]; 9 Nelson Street, Aylmer, Quebec J9H 10	nar [C 37 (CA)	A/).	
(57) Abstract The process oxidizes thiols to disulfides using elemental selenium as a catalyst. Elemental selenium complexes with the thol to form the species RSSe which is rapidly oxidized by molecular oxygen to the disulfide RSSR.	LK, MG, MN, NO, PL, RO, RU, SD, SK, US, patent (AT, BE, CH, DE, DK, ES, FR, GB, GLU, MC, NL, PT, SE), OAPI patent (BF, BJ	Europe R, IE,	ean IT,	
(57) Abstract The process oxidizes thiols to disulfides using elemental selenium as a catalyst. Elemental selenium complexes with the thol to form the species RSSe which is rapidly oxidized by molecular oxygen to the disulfide RSSR.			·	• •
(57) Abstract The process oxidizes thiols to disulfides using elemental selenium as a catalyst. Elemental selenium complexes with the thol to form the species RSSe which is rapidly oxidized by molecular oxygen to the disulfide RSSR.			· ·	
(57) Abstract The process oxidizes thiols to disulfides using elemental selenium as a catalyst. Elemental selenium complexes with the thol to form the species RSSe which is rapidly oxidized by molecular oxygen to the disulfide RSSR.				
(57) Abstract The process oxidizes thiols to disulfides using elemental selenium as a catalyst. Elemental selenium complexes with the thol to form the species RSSe which is rapidly oxidized by molecular oxygen to the disulfide RSSR.				
(57) Abstract The process oxidizes thiols to disulfides using elemental selenium as a catalyst. Elemental selenium complexes with the thol to form the species RSSe which is rapidly oxidized by molecular oxygen to the disulfide RSSR.	•			
(57) Abstract The process oxidizes thiols to disulfides using elemental selenium as a catalyst. Elemental selenium complexes with the thol to form the species RSSe which is rapidly oxidized by molecular oxygen to the disulfide RSSR.				
(57) Abstract The process oxidizes thiols to disulfides using elemental selenium as a catalyst. Elemental selenium complexes with the thol to form the species RSSe which is rapidly oxidized by molecular oxygen to the disulfide RSSR.	CONTROL DESCRIPTION OF THE PREPARATION OF		LILE CONTROL OF THE C	
	(57) Abstract The process oxidizes thiols to disulfides using e ol to form the species RSSe which is rapidly oxidize	lementa ed by r	al selenium as a catalyst. Elemental selenium compl nolecular oxygen to the disulfide RSSR.	exes with the thi-
			·	
				,
				•
			·	٠

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	FR	France	MR	Mauritania
ÂÜ	Australia	GA	Gabon	MW	Malawi
BB	Barbados	GB	United Kingdom	NE	Niger
BE		GN	Guinea	NL	Netherlands
	Belgium	GR	Grecce	NO	Norway
BF	Burkina Faso	HU	Hungary	NZ	New Zealand
BC	Bulgaria	IE	Ireland	PL	Poland
BJ	Benin	iī	Italy	PT	Portugal
BR	Brazil			RO	Romania
BY	Belarus	JP	Japan	AU	Russian Federation
CA	Canada	KP	Democratic People's Republic	SD	Sudan
CF	Central African Republic		of Korea		
CG	Congo	KR	Republic of Korea	SB	Sweden
CH	Switzerland	KZ	Kazakhstan	SI	Slovenia
ä	Côte d'Ivoire	u	Liechtenstein	SK	Slovak Republic
СM	Cameroon	LK	Sri Lanka	SN	Senegal
CN	China	LU	Luxembourg	TD	Chad
cs	Czechoslovakla	ĹŸ	Latvia	TG	Togo
cz	Czech Republic	MC	Monaco	UA	Ukraine
		MG	Madagascar	US	United States of America
DE	Germany	ML	Mali	U2	Uzbekistan
DK	Denmark			ŸŇ	Vict Nam
ES	. Spain	MN	Mongolia	***	V 604 / 144111
671	Enland				

Description

5

10

Process for the preparation of disulfides from thiols

The present invention relates to a process for the preparation of disulfides by oxidizing thiols in the presence of a catalyst in aqueous solution.

Several catalysts are known to catalyze the oxidation of thiols to disulfides according to the equation

$$2 RSH + \frac{1}{2}O_2 \longrightarrow RSSR + H_2O$$
 (1)

These catalysts include CuCl₂, FeCl₃, and Na₂SeO₃. The preparation of disulfides as a result of the oxidation of alkylthiols with O₂ in the presence of cuprous chloride has been described in an article by D.W. Giles, J.A. Cha and P.K. Lim in Chemical Engineering Science, Vol. 41, No. 12, pp. 3129-3140, 1986.

The present invention provides a process for the preparation of disulfides in aqueous solution by oxidizing thiols with molecular oxygen in the presence of a catalyst in the temperature range in which water is a liquid.

$$2 RSH + \frac{1}{2}O_{2} \longrightarrow RSSR + H_{2}O$$
(R = H, alkyl group or other organic moieties)

The catalyst is elemental selenium which is solubilized by complexing with sulfides according to the equation

$$RS^- + Se \longrightarrow RSSe^-$$
 (3)

5

10

15

The thiol containing molecule that was used is mercaptoethanol which was deprotonated using sodium hydroxide solution

$$HOCH_2CH_2SH + NaOH \longrightarrow HOCH_2CH_2S^-Na^+ + H_2O$$
 (4)

The deprotonated mercaptoethanol complexes with selenium according to the equilibrium

$$HOCH_2CH_2S^- + Se \longrightarrow HOCH_2CH_2SSe^-$$
 (5)

The equilibrium constant for the above equilibrium is given by the equation

$$K = \underbrace{[HOCH_2CH_2SSe^-]}_{[HOCH_2CH_2S^-]}$$
 (6)

The equilibrium constant was found to be 0.36. Saturation was achieved after approximately 2 hours of vigorous stirring. If oxygen is passed through the solution containing HOCH2CH2SSe anions, the HOCH2CH2SSe anions are rapidly oxidized to the disulfide HOCH2CH2SSCH2CH2OH with a yield exceeding 95%. Selenium catalyzes the oxidation of thiols according to the equations

$$(RS^{-} + Se \xrightarrow{RSSe^{-}})$$

$$2RS^{-} + 2H^{+} + \frac{1}{2}O_{2} \xrightarrow{RSSR} + H_{2}O$$
(7)

As the HOCH2CH2SSe anions are oxidized, the solubilized selenium precipitates out of solution in the form of grey selenium.

Eventually, all the solubilized selenium precipitates out of solution.

Example

5

0.5g of selenium and 50ml of water was placed in a 250ml flask. 0.5ml of mercaptoethanol was added to the flask. The mercaptoethanol was deprotonated by adding 71.68ml of 0.1N NaOH to the flask. The solution was stirred with a magnetic stirring bar until equilibrium was reached after 2 hours. Oxygen was passed through the solution for 10 minutes using a fritted glass attachment to oxidize mercaptoethanol to the disulfide HOCH₂CH₂SSCH₂CH₂OH.

THE EMBODIMENT OF THE INVENTION IN WHICH AN EXCLUSIVE PROPERTY OR PRIVILEGE IS CLAIMED IS DEFINED AS FOLLOWS:

- 1. A process for preparing disulfides in aqueous solution by oxidizing thiols with oxygen in the presence of a catalyst characterized in that the catalyst is elemental selenium.
- 2. A process according to claim 1 in which the thiols have the formula R-SH wherein R is hydrogen, an alkyl group or other organic moieties.
- 3. A process according to claim 1 or 2 in which sodium hydroxide is added.

AMENDED CLAIMS

[received by the International Bureau on 26 November 1993 (26.11.93);
 original claim 2 amended; other claims unchanged (1 page)]

THE EMBODIMENT OF THE INVENTION IN WHICH AN EXCLUSIVE
PROPERTY OR PRIVILEGE IS CLAIMED IS DEFINED AS FOLLOWS:

- 1. A process for preparing disulfides in aqueous solution by oxidizing thiols with oxygen in the presence of a catalyst characterized in that the catalyst is elemental selenium.
- 2. A process according to claim 1 in which the thiols have the formula R-SH wherein R is hydrogen or alkyl.
- 3. A process according to claim 1 or 2 in which sodium hydroxide is added.

International Application No

I. CLASSI	FICATION OF SUBJ	ECT MATTER (if several classificat	ion symbols apply, indicate all) ⁶	
		Classification (IPC) or to both Nation	and Classification and IPC	
Int.Cl	. 5 CO7C319/	24; C07C323/12		
II. FIELDS	SEARCHED			,
		Minimum Do	comentation Searched?	
Classificat	tion System		Classification Symbols	
Int.Cl	. 5	C07C		
			ther than Minimum Documentation mts are Included in the Fields Searched ²	
III. DOCU	MENTS CONSIDERE	D TO BE RELEVANT		
Category *		cument, 11 with indication, where appr	contate, of the relevant eassages 12	Rejevant to Claim No.13
A	CHEMICAL	AND ENGINEERING SCI	ENCE,	1
	pages 3 D.W. GIL peroxide thiols - engineer cited in	129 - 3140 LES, ET AL.: 'The aere-induced coupling of 1. Kinetic results ring significance' a the application 2130 - page 3133	robic and aqueous	
A	US,A,4 7 26 Janua see exam	/21 813 (H.W. MARK et lry 1988 aple 1	ai.)	1
A	18 Decem	914 (STANDARD OIL) aber 1957 1; examples		1
"A" doccom "E" earlible "L" doccom while citas "O" doccom TP" docc	cidered to be of partical ier document but public og date ument which may throw the is cited to establish to tion or other special rea ument referring to an our or means ument published prior to or than the priority date	eral state of the art which is not lar relevance thed on or after the international doubts on priority claha(s) or de publication date of another uson (as specified) val disclosure, use, exhibition or o the international filling date but	"I" later document published after the interm or priority date and not in conflict with t cited to understand the principle or theor levention "X" document of particular relevance; the cla cannot be considered novel or cannot be lavolve an inventive step "Y" document of particular relevance; the cla cannot be considered to involve an invent document is combined with one or more a ments, such combination being obvious to in the art. "A" document member of the same patent fan	he application but y underlying the imed invention considered to invention ive step when the other such docu- o a person skilled
	Actual Completion of th	e International Search	Date of Mailing of this International Sea	rch Report
	•	AY 1993	-8. 06. 93	·
International	Searching Authority EUROPEA	N PATENT OFFICE	Signature of Authorized Officer RUSSELL F. ENGLISH	

ANNEX TO THE INTERNATIONAL SEARCH REPORT ON INTERNATIONAL PATENT APPLICATION NO.

CA 9300055 SA 69983

This annex lists the patent family members relating to the patent documents cited in the above-mentioned international search report.

The members are as contained in the European Patent Office EDP file on

The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

25/05/93

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US-A-4721813	26-01-88	None	
GB-A-787914		None	
•			
		. •	
		·	
	•		
·			
	·		
			·
·			

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82